



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

**D4821-1**

**Job Sheet 173205**



**Part No:** D4821-1

**Job Qty:** 4 ea

**Part Name:** Windshield Deflector



**Part Weight:** 0 lbs

**Status:** Scheduled

**Priority:** Medium

**Job Created:** 2/27/18

**Job Tracking No:**

**Due Date:** 3/23/18

**Created By:** Logan David

**Type:** SOLD

**Description:**

**Note:** DWG REV B IPP REV: A NEW ISSUE 13/04/25 JFS VERIFY BY: JLM

**Ship Via:**

### Bill of Materials

### Job Routing

| Op No | Operation          | Qty   | Start Date | Due Date | Standard  |         | Workcenter/Supplier   |           | Sign-off           |
|-------|--------------------|-------|------------|----------|-----------|---------|-----------------------|-----------|--------------------|
|       |                    |       |            |          | Setup hrs | Run Hrs | Workcenter / Supplier | Lead Time |                    |
| 90    | Start up Operation | 4 Ea  |            | 3/22/18  | 0.00      | 0.00    | Start Up Machining-3  |           |                    |
| 100   | Bandsaw <i>N/A</i> | 4 pcs |            | 3/22/18  | 0.00      | 0.01    | Bandsaw1              |           |                    |
| 110   | Purchasing         | 4 pcs |            | 3/22/18  | 0.00      | 0.00    | Purchasing            |           | <i>APR 19/19</i>   |
| 120   | Packaging          | 4 pcs |            | 3/22/18  | 0.00      | 0.00    | Packaging2            |           | <i>APR 19/19</i>   |
| 130   | QC                 | 4 pcs |            | 3/22/18  | 0.00      | 0.00    | QC5                   |           | <i>APR 24 2018</i> |
| 131   | HandFinish         | 4 pcs |            | 3/23/18  | 0.00      | 0.41    | HandFinish4           |           | <i>9-89</i>        |
| 140   | Outsource          | 4 pcs |            | 3/23/18  |           |         | ATG001-VC             | 5         | <i>CT18-5-23</i>   |
| 150   | Packaging          | 4 pcs |            | 3/23/18  | 0.00      | 0.00    | Packaging2            |           | <i>CT18-5-23</i>   |
| 152   | QC                 | 4 pcs |            | 3/23/18  | 0.00      | 0.00    | QC14                  |           | <i>CT18-5-23</i>   |
| 155   | QC                 | 4 pcs |            | 3/23/18  | 0.00      | 0.00    | QC5                   |           | <i>CT18-5-23</i>   |
| 180   | Packaging          | 4 pcs |            | 3/23/18  | 0.00      | 0.00    | Packaging3-2          |           | <i>CT18-5-23</i>   |
| 190   | QC21-SA            | 4 Ea  |            | 3/23/18  | 0.00      | 0.00    | QC21                  |           | <i>CT18-5-23</i>   |

Part Op 100 - Cut blanks as per folio CUT BLANK AT 51.000"

Descriptions: 110 - ISSUE P/O: *39500* TO WEEJAY C OF C IS REQUIRED 2- deburr and break all sharp edges

120 - Receive & Inspect for Damage & Mat'l Certs

130 - QC5- Inspect part completeness to step on W/O

131 - CLEAN AND REMOVE ALL PART MARKING

140 - Issue P/O: *039969* Hard Anodize, Color Black and Prime as per Dwg D4821 Rev. B

150 - Receive & Inspect for Damage & Mat'l Certs

152 - QC14- Inspect Spray Paint

155 - QC5- Inspect part completeness to step on W/O

180 - Identify as per dwg & Stock Location:

190 - QC21- Final Inspection - Work Order Release

### Job BOM

| Part / Item          | Component Name                                    | Quantity        | Operation             | Container      |
|----------------------|---------------------------------------------------|-----------------|-----------------------|----------------|
| M7075T6B2.750X02.000 | 7075-T6 Bar 2.750" X 2.000" (Cut Into 51" Pieces) | 17 ft (4.25 ea) | 90-Start up Operation | <i>M133609</i> |
| D4821-1P             | Windshield Deflector                              | 4 pcs (1 ea)    | 110-Purchasing        | <i>5063105</i> |

### Job Allocations

| Operation             | Component Part       | Required | Inventory | Allocated |
|-----------------------|----------------------|----------|-----------|-----------|
| 90-Start up Operation | M7075T6B2.750X02.000 | 17       | 30        | 0         |
| 110-Purchasing        | D4821-1P             | 4        | 7         | 0         |



Container No: **S063106**



Windshield Deflector

PART NO: **D4821 - 1**

Serial No/Batch: **S063106**

Revision:

Operation: **Packaging**

Change No:

**Dart Aerospace Ltd.**

1270 Aberdeen Street  
Hawkesbury, ON K64 1K7  
CANADA

TEL.: 1 613 632-5200  
Email: [sales@dartaero.com](mailto:sales@dartaero.com)  
[www.dartaerospace.com](http://www.dartaerospace.com)

Mfg Date: 04/19/18

Job No: 173205

**Part Specifications**

Specifications could not be found.

Plex 2/27/18 10:56 AM dart.logan.david

**Container No: S058117****Part: D4821-1****Job No: 173205****Serial No/Batch: S058117****Revision: B****Inspector:**

Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
CANADA  
TEL.: 1 813 632-5200  
Email: sales@dartaero.com  
www.dartaerospace.com

Date: 04/04/18



72





## INSPECTION SHEET

[illegible]

|              |  |             |  |               |  |
|--------------|--|-------------|--|---------------|--|
| Measured by: |  | Checked by: |  | QC Inspector: |  |
| Date:        |  | Date:       |  | Date:         |  |

|                                                |  |              |  |
|------------------------------------------------|--|--------------|--|
| <b>Engineering Approval:</b><br>(If necessary) |  | <b>Date:</b> |  |
|------------------------------------------------|--|--------------|--|

| Rev | Date     | Change    | Revised by | Approved |
|-----|----------|-----------|------------|----------|
| A   | 14.07.31 | New Issue | KJ         |          |



**RELEASED**

2014 FEB 25  
BOM M-SHO

**NOTES:**

- 1) MATERIAL: 7075-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/9 (OR AMS 4122/4123/4186/4187) OR  
PER AMS-QQ-A-200/11 (REF DART SPEC. M7075T68)
- 2) FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK,  
PRIME IAW MIL-P-23377J TYPE I CLASS N; 1-2 MIL MAX, AS PER QSI 005.
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4821-1", AGUSTA WESTLAND P/N "TBD", REVISION, BATCH NUMBER AND DATE OF MANUFACTURE,  
USING AN X-TENSION STAMP, PER QSI 044 METHOD 6.2
- 7) WEIGHT: 1.93 lbs (0.88 kgs)
- 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE: D4821-1-b.IGES (or D4821-1-b.STEP)

SHOP COPY  
ENGINEERING  
UNCONTROLLED COPY

SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER

NO. 113205 72  
20180227

| B          | DRAWING REVISED TO NEW CUSTOMER CAD DATA.<br>RIVET HOLES ADDED | DB                                                                                                                                                                                                                       | 14.02.04     |
|------------|----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| A          | NEW RELEASE                                                    | DB                                                                                                                                                                                                                       | 13.05.22     |
| REV.       | DESCRIPTION                                                    | BY                                                                                                                                                                                                                       | DATE         |
| DESIGN     | DB                                                             | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA                                                                                                                                                                 |              |
| DRAWN      | DB                                                             |                                                                                                                                                                                                                          |              |
| CHECKED    | AP                                                             | DRAWING NO.                                                                                                                                                                                                              | REV. B       |
| MFG. APPR. | EPDMA                                                          | D4821                                                                                                                                                                                                                    | SHEET 1 OF 1 |
| APPROVED   | HS                                                             | TITLE                                                                                                                                                                                                                    | SCALE        |
| DE APPR.   | DS                                                             | WINDSHIELD DEFLECTOR                                                                                                                                                                                                     | NTS          |
| DATE       | 14.02.04                                                       | COPYRIGHT © 2013 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL. IT IS TO BE USED FOR ANY PURPOSE OR DISCLOSED OR REPRODUCED IN ANY MANNER WITHOUT<br>WRITTEN PERMISSION FROM DART AEROSPACE LTD |              |

## Linda Lacelle

---

**From:** Scott Dennis <scott@wejay.com>  
**Sent:** Wednesday, April 4, 2018 11:40 AM  
**To:** Linda Lacelle  
**Subject:** Re: D4821-1

Hi Linda, Batch M133609 (4 pieces).

Scott

**From:** Linda Lacelle  
**Sent:** Wednesday, April 04, 2018 11:20 AM  
**To:** Scott Dennis  
**Subject:** RE: D4821-1

Perfect – PO to follow.  
Do you have the batch number of the material pls?

Thx  
L

**From:** Scott Dennis <scott@wejay.com>  
**Sent:** Wednesday, April 4, 2018 11:18 AM  
**To:** Linda Lacelle <llacelle@dartaero.com>  
**Subject:** Re: D4821-1

Hi Linda, we do have 4 pieces of material here.

Thanks again.

Scott

**From:** Linda Lacelle  
**Sent:** Wednesday, April 04, 2018 10:14 AM  
**To:** scott@wejay.com  
**Cc:** Chantal Lavoie ; Jason Leroux





Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

## PURCHASE ORDER PO039500

**Supplier:** WEJ001-VC  
Wejay Machine Products Co. Ltd  
600 O'Connor Drive  
Kingston  
ON  
K7P 1N3 Canada  
Phone: 613-384-1662  
Fax: 613-384-2997

**PO No:** PO039500

**PO Date:** 4/4/18

**Due Date:** 4/25/18

**Purchase Order  
Revision:**

**Revision Date:**

**Ship-To Contact:** Lavoie, Chantal  
Phone: clavoie@dartaero.com

**E-MAILED**  
APR 04 2018

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground

**Pynt Terms:** Net 30

**Freight Terms:**

**Special Comments:**

### Items

| Line Item | Part     | Supplier Part No | Item No | Description                                        | Status | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|-----------|----------|------------------|---------|----------------------------------------------------|--------|----------|----------------|-------------------|---------|------------------|----------------|
| 1         | D4821-1P |                  |         | Windshield Deflector<br>As per Dwg D4821<br>Rev. B | Firmed | 4/25/18  | 4 pcs          | 0 pcs             | 4 pcs   | \$1,095.00/pcs   | \$4,380.00     |

**Line Item Note** job no. 173205

**Grand Total:** \$4,380.00

### Order Notes

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

#### Procurement Quality Clauses

A005 RIGHT OF ENTRY

A007 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION MAINTAINED BY SUPPLIER)

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A016 PERSONNEL QUALIFICATION

A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENT

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

*Handwritten signature and initials*

Plex 4/4/18 11:36 AM dart.lavoie.chantal



600 O'CONNOR DRIVE, KINGSTON, ONTARIO K7P 1N3

PHONE: (613) 384-1662

FAX: (613) 384-2997

## CERTIFICATE OF COMPLIANCE

|                                                                                                                                                                                  |             |                                       |                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------------------|----------------------------|
| CUSTOMER: DART Aerospace                                                                                                                                                         |             | DATE: April 12, 2018                  |                            |
|                                                                                                                                                                                  |             | P.O.# 039500                          |                            |
|                                                                                                                                                                                  |             | WEJAY JOB# 39064                      |                            |
| <b>I hereby certify that the following material has been inspected/tested and conforms to the requirements and specifications as stated in your contract and as noted below.</b> |             |                                       |                            |
| <b>PART NO.</b>                                                                                                                                                                  | <b>QTY.</b> | <b>PROCESS (ES)</b>                   | <b>SPECIFICATION / REV</b> |
| D4821-1P<br>'Windshield Deflector'                                                                                                                                               | 4           | Machined complete per drawing req'ts. | D4821 / Rev. B             |
| Note: Material supplied by DART Aerospace - serial# 001, 002, 003, ref. #M133609<br>- serial# 004, ref. #S002811                                                                 |             |                                       |                            |

**Records of Inspection/Test will be retained for 5 years minimum.**

Sincerely,

**Clifford Smith**  
Authorized Q.A. Signatory



# First Article Inspection Report

(Report all dimensions and features required by drawing)

Page 1 of 4

Customer : DART AEROSPACE

Customer P.O. No.: 39500

Wejay Job No.: 39064

Part Description: WINDSHIELD DEFLECTOR

Part Serial No.: \_\_\_\_\_

Manufacturing Production Order Operation No.: 40

Drawing Number (Including Revision): D4821 -1P /REV B

| Drawing Balloon Item<br>(When attaching drawing to<br>itemize features) | Dimension Required     | Actual Dimension recorded |
|-------------------------------------------------------------------------|------------------------|---------------------------|
| SEE ATTACHED BALLOON                                                    | DWG & INSP/TEST REPORT |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |
|                                                                         |                        |                           |

Equipment Used: \_\_\_\_\_

☒ Accepted

☐ Not Accepted

NCR (If applicable) \_\_\_\_\_

Reviewed by:

Production: \_\_\_\_\_

Date: \_\_\_\_\_

Quality Control: \_\_\_\_\_

Date: APRIL 12/18



600 O'CONNOR DRIVE  
KINGSTON, ONTARIO  
K7P 1N3

# INSPECTION / TEST REPORT

JOB No. 39064

PAGE: 1 of 2

CUSTOMER: Dart Aerospace

CUST. P.O.# PO 39500

PART No. D4821-1P

DESCRIPTION: Windshield Deflector

DWG No. D4821

REV. B

E.C.O. --

MATERIAL: 7075-T6 (or T651/T6510/T6511/T62)

Alum. supplied by DART Aerospace

Ref. SCN:

INSPECTOR:

*[Signature]* WMP 03

QUANTITY  
REC'D: 1

ACCEPT: 1

REJECT: —

N.C.R.# —

DATE:

APR 12/18

INSTRUCTIONS, COMMENTS: Standard Tolerances per DART QSI 018 unless otherwise noted

1ST ARTICLE INSP.

| ITEM<br>REF.<br>No. | CHARACTERISTIC<br>(DIMS IN mm) | DETAILS | TOLERANCE     | DWG<br>SHT/ZONE | RESULT      | QTY.<br>INSP. | COMMENTS<br>(ACC. REJ.<br>REW. NMR #) |
|---------------------|--------------------------------|---------|---------------|-----------------|-------------|---------------|---------------------------------------|
| 1                   | 50.40                          |         | ±.03          | D2              | 50.414      | 1             | Acc.                                  |
| 2                   | 48.73                          |         | ±.03          | D2              | 48.740      | 1             | Acc.                                  |
| 3                   | 46.22                          |         | ±.03          | D3              | 46.230      | 1             | Acc.                                  |
| 4                   | 42.23                          |         | ±.03          | D3              | 42.240      | 1             | Acc.                                  |
| 5                   | .96                            |         | ±.03          | D3              | .964-.970   | 1             | Acc.                                  |
| 6                   | 15.72                          |         | ±.03          | D6              | 15.725      | 1             | Acc.                                  |
| 7                   | 11.70                          |         | ±.03          | D6              | 11.705      | 1             | Acc.                                  |
| 8                   | 8.53                           |         | ±.03          | D6              | 8.530       | 1             | Acc.                                  |
| 9                   | 2.81                           |         | ±.03          | D7              | 2.810       | 1             | Acc.                                  |
| 10                  | 25°                            |         | ±.5°          | C2              | 25°         | 1             | Acc.                                  |
| 11                  | .01                            |         | ±.03          | B3              | .010        | 1             | Acc.                                  |
| 12                  | R 0.25                         |         | ±.03          | B4              | R.250       | 1             | Acc.                                  |
| 13                  | .04                            |         | ±.03          | B1              | .042        | 1             | Acc.                                  |
| 14                  | R 0.25                         |         | ±.03          | B3              | R.250       | 1             | Acc.                                  |
| 15                  | .187                           |         | ±.010         | B8              | .1875-.189  | 1             | Acc.                                  |
| 16                  | .148                           |         | ±.010         | B6              | .1475-.1515 | 1             | Acc.                                  |
| 17                  | 1.67                           |         | ±.03          | B7              | 1.672-1.681 | 1             | Acc.                                  |
| 18                  | 1.21                           |         | ±.03          | B5              | 1.210-1.211 | 1             | Acc.                                  |
| 19                  | .187                           |         | ±.010         | B5              | .186-.190   | 1             | Acc.                                  |
| 20                  | R 39.4                         |         | ±.10          | C2              | R39.4       | 1             | Acc.                                  |
| 21                  | R 316.2                        |         | ±.10          | B4              | R316.4      | 1             | Acc.                                  |
| 22                  | R 39.4                         |         | ±.10          | C7              | R39.4       | 1             | Acc.                                  |
| 23                  | Ø0.206 hole thru               | 23 pl.  | +0.005/-0.001 | D5              | Ø.209 typ   | 1             | Acc.                                  |
| 24                  | 1.36                           | 4 pl.   | ±.03          | D1              | 1.358-1.361 | 1             | Acc.                                  |
| 25                  | .79                            | 19 pl.  | ±.03          | D1              | .789-.794   | 1             | Acc.                                  |
| 26                  | 9.116                          |         | ±.01          | D6              | 9.120       | 1             | Acc.                                  |
| 27                  | 11.667                         |         | ±.01          | D6              | 11.675      | 1             | Acc.                                  |
| 28                  | 14.642                         |         | ±.01          | D6              | 14.646      | 1             | Acc.                                  |
| 29                  | 46.259                         |         | ±.01          | D3              | 46.260      | 1             | Acc.                                  |

|                                 |                |         |           |                                          |        |                      |                                 |
|---------------------------------|----------------|---------|-----------|------------------------------------------|--------|----------------------|---------------------------------|
| <b>INSPECTION / TEST REPORT</b> |                |         |           |                                          |        | JOB No. <b>39064</b> |                                 |
|                                 |                |         |           |                                          |        | PAGE: 2 of 2         |                                 |
| CUSTOMER: <b>Dart Aerospace</b> |                |         |           |                                          |        |                      |                                 |
| CUST. P.O. <b>PO 39500</b>      |                |         |           |                                          |        |                      |                                 |
| PART No. <b>D4821-1P</b>        |                |         |           | DESCRIPTION: <b>Windshield Deflector</b> |        |                      |                                 |
| DWG No. <b>D4821</b>            |                |         |           | REV. <b>B</b>                            |        | E.C.O.               |                                 |
| REF. No.                        | CHARACTERISTIC | DETAILS | TOLERANCE | DWG SHI/ZONE                             | RESULT | QTY. INSP.           | COMMENTS (ACC. REJ. REW. NMR #) |

|    |           |            |               |    |             |   |      |
|----|-----------|------------|---------------|----|-------------|---|------|
| 30 | 48.411    |            | ±.01          | D2 | 48.420      | 1 | Acc- |
| 31 | 1.596     | 18 pl.     | ±.01          | D5 | 1.594-1.598 | 1 | Acc- |
| 32 | 170°      |            | ±.5°          | D6 | 170° TYP.   | 1 | Acc- |
| 33 | R 0.39    |            | ±.03          | D8 | R.400 TYP.  | 1 | Acc- |
| 34 | R 0.79    |            | ±.03          | D2 | R.76 TYP.   | 1 | Acc- |
| 35 | Deburring | Per note 5 | .005-.010max. | A8 | PASSED      | 1 | Acc- |
|    |           |            |               |    |             |   |      |





Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO039969**

**Supplier:** ATG001-VC  
A.T.G. Industries Inc  
731 INDUSTRIELLE ROAD  
ROCKLAND  
ON  
K4K 1T2 Canada  
Phone: 613-446-4544  
Fax: 613-446-4556

**Attention:** Lalande, Marc-Andre

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**PO No:** PO039969  
**PO Date:** 5/23/18  
**Due Date:** 5/29/18  
**Purchase Order**  
**Revision:**  
**Revision Date:**  
**Ship-To Contact:** Tsimiklis, Chrisoula  
**Phone:**  
**Via:** Ground  
**Pynt Terms:** Net 30  
**Freight Terms:**  
**Special Comments:**

## **Items**

| Line Item | Job    | Part     | Description                                                                                                                                                                                                                                      | Status | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|-----------|--------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|----------------|-------------------|---------|------------------|----------------|
| 1         | 175736 | 647.1711 | Plate<br>Issue P/O to ATG : _____                                                                                                                                                                                                                | Firmed | 5/29/18  | 10 pcs         | 0 pcs             | 10 pcs  | \$33.51/pcs      | \$335.10       |
| 2         | 174100 | 646.3610 | Filler<br>Issue P/O to ATG : _____ 1-<br>Hard Anodize Black and Prime as per<br>Dwg 646.3600                                                                                                                                                     | Firmed | 5/29/18  | 12 pcs         | 0 pcs             | 12 pcs  | \$9.86/pcs       | \$118.32       |
| 3         | 172762 | 647.1714 | Plate<br>Issue P/O to ATG : _____<br>Hard Anodize and Prime as Per Dwg<br>647.1700 Rev. E                                                                                                                                                        | Firmed | 5/29/18  | 10 pcs         | 0 pcs             | 10 pcs  | \$33.51/pcs      | \$335.10       |
| 4         | 173205 | D4821-1  | Windshield Deflector<br>Issue P/O: _____ Hard<br>Anodize, Color Black and Prime as<br>per Dwg D4821 Rev. B                                                                                                                                       | Firmed | 5/29/18  | 4 pcs          | 0 pcs             | 4 pcs   | \$53.51/pcs      | \$214.04       |
| 5         | 177165 | 649.5110 | Wiper Deflector<br>Outsource process-Anodize per<br>QSI017 4.1.10.1<br>Issue P/O to ATG : _____ 1-<br>Black Anodize as per Dwg 649.5100<br>2- PRIME AS PER DWG, SEE NOTE<br>#2 Certification of Conformity is<br>required<br>** need back ASAP** | Firmed | 5/29/18  | 10 pcs         | 0 pcs             | 10 pcs  | \$11.81/pcs      | \$118.10       |

**Grand Total:** \$1,120.66

## **Order Notes**



A.T.G. Industries Inc.  
731 Industrielle Street  
Rockland, ON K4K 1T2  
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

### Pack List

Number: 915447

Date: 22-Jun-18

#### To

Dart Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury, ON K6A 1K7

#### Ship To

Chrisoula Tsimiklis  
Dart Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

| Terms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                   | Ship Via  |                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                   | OUR TRUCK |                         |
| Quantity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Description                                                                                                                                                                                                                                       |           |                         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Please reference this document's Pack List number on all correspondences regarding this shipment. If you have any questions, please contact us.                                                                                                   |           |                         |
| 4<br>ea                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Part: D4821-1<br>Windshield Deflector<br>Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils)<br>Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0001-.0002" (1 - 2 mils) per drawing.<br>Job: 23142 | Rev: B    | PO: PO039969<br>Line: 4 |
| <p><b>CERTIFICATE OF CONFORMANCE</b><br/>A.T.G Industries Inc. certifies that all items in this shipment conform to the requirements.</p> <p>Date: <u>22/6/18</u></p> <p>Certified Signature: <u>[Signature]</u></p> <p>Receiver Signature: <u>[Signature]</u></p> <p>A.T.G Industries Inc. is AS9100 Registered and Nadcap Chemical Processing Accredited.</p> <p>Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.</p> |                                                                                                                                                                                                                                                   |           |                         |

Made in Canada.